

KNOWLEDGE MEDIA

KMi

I N S T I T U T E

## Multi-Perspective Annotation of Digital Stories for Professional Knowledge Sharing: Appendices

Technical Report KMI-07-04  
Dec. 2007

Joanna Kwiat

Kwiat, J. (2007). Multi-Perspective Annotation of Digital Stories for Professional Knowledge Sharing: Appendices. *Technical Report KMI-07-04*, Knowledge Media Institute, The Open University, UK. Available at:  
<http://kmi.open.ac.uk/publications/techreports.cfm/trnumber/kmi-07-04>



## Appendix 2

### A2.1 Within and between-screen navigational maps

The detailed maps support the discussion in Chapter 8 regarding the Task User Interface and the navigational and operational incidents it gave rise to. The first column of each map lists the incidents and the columns alongside are for the participants who may or may not have experienced them. For between-screen incidents, the marks in the cells are differentiated to indicate the reason guidance was given as described in Chapter 8:

- (A) Participants have deviated from the expected course.
- (B) They signal that they are about to deviate from the expected course.
- (C) Pre-emptive progression of the task.

For within-screen incidents, and where relevant, it is the story identifiers that are recorded, and Phase 4 incidents are shown in *italic*.

#### Entry page - Navigational incidents (see Figure 8.8)

Participant	<i>a</i> 4	<i>a</i> 5	<i>a</i> 12	<i>a</i> 13	<i>a</i> 17	<i>a</i> 20	<i>b</i> 7	<i>b</i> 9	<i>b</i> 11	<i>b</i> 14	<i>b</i> 18	<i>b</i> 24	<i>c</i> 2	<i>c</i> 6	<i>c</i> 15	<i>c</i> 16	<i>c</i> 21	<i>c</i> 22	<i>d</i> 1	<i>d</i> 3	<i>d</i> 8	<i>d</i> 10	<i>d</i> 19	<i>d</i> 23
Navigational green path not obvious													•											
Does my input matter?													•									•		

#### Main introductory page - Navigational incidents (see Figure 8.9)

Participant	<i>a</i> 4	<i>a</i> 5	<i>a</i> 12	<i>a</i> 13	<i>a</i> 17	<i>a</i> 20	<i>b</i> 7	<i>b</i> 9	<i>b</i> 11	<i>b</i> 14	<i>b</i> 18	<i>b</i> 24	<i>c</i> 2	<i>c</i> 6	<i>c</i> 15	<i>c</i> 16	<i>c</i> 21	<i>c</i> 22	<i>d</i> 1	<i>d</i> 3	<i>d</i> 8	<i>d</i> 10	<i>d</i> 19	<i>d</i> 23
Unfamiliarity with GUI objects and interactivity												C					C							
Commenting on the key																•								
Opening the comment box																•								
Mandatory links lacking prominence							A				B	B		B	B		C		A					C
Guide link lacking prominence	B	C	B	C	C	B		A	C	C	B			A	B	C	C	B	•	C	C		B	
Goes to 'Print Guide / Stories'				A		A		A		A		A												A
Expecting to Access Phase 1 via 'Print 3'												B												
Expecting to follow optional links							A													A				
Expecting to follow disabled links																				A				
Re-navigating to <i>Save now</i>								B			A											A		

Page 1 of the guide – Incidents (see Figure 8.10)

Participant	a 4	a 5	a 12	a 13	a 17	a 20	b 7	b 9	b 11	b 14	b 18	b 24	c 2	c 6	c 15	c 16	c 21	c 22	d 1	d 3	d 8	d 10	d 19	d 23
Expecting escape function													●											

Page 2 of the guide – Incidents; i.e. where participants expressed concern (see Figure 8.11)

Participant	a 4	a 5	a 12	a 13	a 17	a 20	b 7	b 9	b 11	b 14	b 18	b 24	c 2	c 6	c 15	c 16	c 21	c 22	d 1	d 3	d 8	d 10	d 19	d 23	
Selection list																								●	
Suspend indexing		●																							
Save indexing													●									●			
Amount of advice to remember														●	●										
Generally concerned					●																			●	

Phases 1 and 4: *Main & Other Point* - Navigational and operational incidents (see Figure 8.12)

Participant	a 4	a 5	a 12	a 13	a 17	a 20	b 7	b 9	b 11	b 14	b 18	b 24	c 2	c 6	c 15	c 16	c 21	c 22	d 1	d 3	d 8	d 10	d 19	d 23	
Disconcerted by unresponsive scroll bar		5 9							2											4 8	8			8	
Not scrolling to end of story				1										3			3	3							4
Story font size too small				●					2																
Agree/Disagree explanation/assistance	1	1			1	5					2	2					7	7				?	4		
Promote/Demote explanation/assistance		1	5									10		3			3	7	8	4				4	
Reading Promote/Demote as Disagree		1									2	2												4	
Requiring assistance with or not using scroll bars on the Readers' list																	3							4	4 8 12
It requiring explanation that that the Readers' list is selectable						5																			8
Enquiring how to select from Readers' list											10								11						8
Default focus in Main Point text box lost																	7	7							
Mistaking green background text for an Editor suggestion												2													
Attempt to type over editor's Main Point or agreed Main Point					1															4		4			
Enquiring how to enter their own Main Point									2														4	4	
Entering Main Point in Other Point field							6																		
No feedback on Main Point input			5	5	1				2				11					7							





Phases 1 and 4: *Character* - Navigational and operational incidents (see Figure 8.14)

Participant	a 4	a 5	a 12	a 13	a 17	a 20	b 7	b 9	b 11	b 14	b 18	b 24	c 2	c 6	c 15	c 16	c 21	c 22	d 1	d 3	d 8	d 10	d 19	d 23
Expecting new screen new story	1	1							2	2														4
Needing assistance to disagree								6																4
Not initiating free text input																								4
Not initiating selection list exploration																					4			
Seeking tooltip definitions														3										
Seeing selection list terms as suggestions												2					3							
Disconcerted by 'none' for Editor's suggested Other Characters								6				6	7	7			7							
Expecting Add button function to consolidate list selection																								4
Inappropriate or non use of Add button							2	10				2	6									12	12	4
Exceeding the length of the text input field			9									2				11			12					
Would like to retrieve and edit an input																11								
Needing assistance to Remove a suggestion																	3	7						
Use of comment box to define suggestions																11								
Directing to Next																	3							
Beginning 'Back' navigation			9	1							2								8					
Phase 4 bug: tick removed											10												8	
Participant	a 4	a 5	a 12	a 13	a 17	a 20	b 7	b 9	b 11	b 14	b 18	b 24	c 2	c 6	c 15	c 16	c 21	c 22	d 1	d 3	d 8	d 10	d 19	d 23

Phases 1 and 4: *Narrator & Audience* - Navigational and operational incidents (see Figure 8.15)

Participant	a 4	a 5	a 12	a 13	a 17	a 20	b 7	b 9	b 11	b 14	b 18	b 24	c 2	c 6	c 15	c 16	c 21	c 22	d 1	d 3	d 8	d 10	d 19	d 23
Expecting new screen new story		1																						
Associating Add button with Narrator selection list																			8					
Expecting Add button function to consolidate direct agreement																		7						

Tooltip understood	9		1	1	5	1	2			6	2		3	3	3	3	3	3	8			4	4
Dual function checkbox list operationally unclear, or associating tooltip definition with non highlighted term					5																		
Expecting checkbox list to be scrollable																3							
Previously ticked Narrators removed if their definitions are consulted			1 5 9				2							3 7								4	
Bug: Ticked narrators not added														11									
Expecting selection list items to retain their tick status during Phase 4					1 5																		
Inappropriate or non use of Add button							2					2 6 10					3 7 11				12		8
Relevant textbox not in focus so input does not register or registers elsewhere												2							4				
Exceeding the length of the text input field							2					10					11	4					
Would like to retrieve and edit an input																11							
Disconcerted by selected Audiences scrolling beyond view					1																		
Whether to treat as conjoint two suggestions																			4				
Needing assistance to Remove a suggestion																	11						
Domain lists not providing tooltip definitions				1		1											3						
Clarification of the meaning of Save Now during Phase 1			1	1													3						
Choosing to Save later								2 6						3 7 11									
Use of comment box to define a suggestion																7							
Beginning 'Back' navigation			1 9			1							7	3					8			4	







Attempting or expecting to enter text in a disassociated input field or the output text boxes	5				1	9			2				10				3	3			4	4	8				
Redirecting to Related Story													10				3										
Expecting to return via Save now	1																	3									
Choosing to Save later	1			1												3		3									
	5			5											7		7										
	9														11		11										
Participant	a	a	a	a	a	a	b	b	b	b	b	b	b	c	c	c	c	c	c	d	d	d	d	d	d	d	d
	4	5	12	13	17	20	7	9	11	14	18	24	2	6	15	16	21	22	1	3	8	10	19	23			

Phase 3: *Relatedness* - Explaining story-story links - Navigational and operational incidents (see Figure 8.21)

Participant	a	a	a	a	a	a	b	b	b	b	b	b	c	c	c	c	c	c	d	d	d	d	d	d	d	d	
	4	5	12	13	17	20	7	9	11	14	18	24	2	6	15	16	21	22	1	3	8	10	19	23			
Retrieving previously Related stories – aided or unaided	5	1		5	1											7											12
Expecting provision for recording unrelated story pairs							9																				
Expecting to be able to record more than one relation for a single story pairs																											12
Use of comment box to explain a complex relationship																7											
Expecting ‘Say why’ to be more immediately available															3						4						
Attempting to cut and paste between related story and related reader input fields																											
Experiencing disorientation in the list of stories		1					9														4						
Attempting to access disabled story selection					5				10								7										
Not pressing Relate button after input					1					10	2	10						7	7					4	4	8	
					5													11									
					9																						

### A2.2 Duration of task

The tables below provide story for story, and phase by phase, the length of time participants 1 to 24 spent on each screen. Where potentially informative, the timings for the groups *a*, *b*, *c* and *d* are also given.

#### Distribution of time over task parts: Introduction and Guide

Set	<i>a</i> : stories 1, 5 & 9						<i>b</i> : stories 2, 6 & 10						<i>c</i> : stories 3, 7 & 11						<i>d</i> : stories 4, 8 & 12					
Participant	4	5	12	13	17	20	7	9	11	14	18	24	2	6	15	16	21	22	1	3	8	10	19	23
Entry	48	43	62	52	25	64	25	61	62	22	41	46	46	33	21	33	78	66	36	30	39	53	76	22
Main	43	61	59	61	76	44	44	53	64	35	43	29	47	49	50	117	125	62	0	91	44	54	69	45
Guide 1	77	161	135	95	57	116	76	84	76	57	53	103	131	56	56	149	135	86	0	167	63	131	72	48
Guide 2	62	91	61	35	57	72	83	63	78	53	15	30	43	51	42	73	112	74	0	86	13	61	58	81

#### Distribution of time over task parts: Phase 1 indexing

Set	<i>a</i> : stories 1, 5 & 9						<i>b</i> : stories 2, 6 & 10						<i>c</i> : stories 3, 7 & 11						<i>d</i> : stories 4, 8 & 12					
Participant	4	5	12	13	17	20	7	9	11	14	18	24	2	6	15	16	21	22	1	3	8	10	19	23
Main	41	17	24	19	10	27	5	19	43	17	18	54	11	14	26	22	41	41	70	6	10	11	20	65
Points Stories 1-4	206	573	366	211	177	489	379	377	270	381	358	396	254	169	141	277	862	375	329	592	195	275	614	256
	2022						2161						2078						2261					
Features Stories 1-4	122	260	126	272	79	185	126	121	111	139	144	129	155	222	115	185	446	254	69	363	264	193	147	263
	1044						770						1377						1299					
Characters Stories 1-4	214	214	121	317	118	220	154	112	104	158	139	120	55	231	68	67	557	50	103	328	126	72	198	195
	1204						787						1028						1022					
Narrators / Audiences Stories 1-4	102	134	148	277	98	190	140	33	91	84	226	86	132	214	190	292	370	140	120	199	65	60	200	84
	949						660						1338						644					
Main	14	35	12	11	22	2	5	5	9	17	8	8	10	4	4	6	11	14	8	5	4	4	11	5
Points Stories 5-8	544	406	206	323	290	418	310	218	139	293	115	126	97	246	60	209	677	386	272	597	184	141	255	186
	2187						1201						1675						1635					
Features Stories	44	90	100	36	66	88	92	126	78	103	84	43	167	84	123	125	224	159	112	332	138	104	98	201



Distribution of time over task parts: Phase 2 Reading

Set	<i>a</i> : stories 1, 5 & 9						<i>b</i> : stories 2, 6 & 10						<i>c</i> : stories 3, 7 & 11						<i>d</i> : stories 4, 8 & 12					
Participant	4	5	12	13	17	20	7	9	11	14	18	24	2	6	15	16	21	22	1	3	8	10	19	23
Read now?	41	25	34	21	53	12	24	21	7	15	30	35	16	23	9	27	36	32	99	48	28	44	57	30
Phase 2	1101	1871	321	809	430	695	603	861	572	380	292	444	418	590	434	648	944	631	863	1390	268	428	789	450
	5227						3152						3665						4188					

Distribution of time over task parts: Phase 3 Relating

Set	<i>a</i> : stories 1, 5 & 9						<i>b</i> : stories 2, 6 & 10						<i>c</i> : stories 3, 7 & 11						<i>d</i> : stories 4, 8 & 12					
Participant	4	5	12	13	17	20	7	9	11	14	18	24	2	6	15	16	21	22	1	3	8	10	19	23
Relate now?	66	12	26	18	23	7	32	7	220	6	4	12	263	20	16	19	14	7	36	2	308	257	19	15
Main	17	8	35	14	19	2	28	10	6	8	16	21	6	3	55	48	15	22	5	34	6	13	39	14
Relate Stories 1 – 4	430	554	259	335	271	376	338	549	152	182	530	133	49	613	219	524	703	221	157	594	67	20	539	183
	2225						1884						2329						1560					
Main	7	5	5	5	8	6	2	4	4	3	21	5	90	5	12	7	7	5	16	2	16	24	8	2
Relate Stories 5 – 8	345	319	112	132	311	800	245	378	105	138	205	362	159	345	413	666	625	282	126	359	352	80	230	334
	2019						1433						2490						1481					
Main	5	3	4	3	4	27	14	5	45	3	27	6	5	3	4	5	3	4	2	2	1	26	3	3
Relate Stories 9 – 12	562	326	178	191	492	861	320	436	206	112	371	393	141	491	222	422	476	650	194	312	54	153	190	421
	2610						1838						2402						1324					
Main	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Distribution of time over task parts: Phase 4 indexing (optional)

Set	<i>a</i> : stories 1, 5 & 9						<i>b</i> : stories 2, 6 & 10						<i>c</i> : stories 3, 7 & 11						<i>d</i> : stories 4, 8 & 12					
Participant	4	5	12	13	17	20	7	9	11	14	18	24	2	6	15	16	21	22	1	3	8	10	19	23
Main	-	-	12	-	16	21	-	-	-	18	35	-	19	-	-	22	-	-	17	25	-	-	46	-
Points Stories 1-4	-	-	20	-	175	39	-	-	-	162	43	-	100	-	-	11	-	-	70	34	-	-	63	-
Features Stories 1-4	-	-	119	-	52	4	-	-	-	18	16	-	4	-	-	40	-	-	5	18	-	-	15	-

Characters Stories 1-4	-	-	73	-	72	7	-	-	-	26	-	-	4	-	-	5	-	-	8	15	-	-	24	-
Narrators / Audiences Stories 1-4	-	-	28	-	69	9	-	-	-	30	2	-	19	-	-	7	-	-	20	26	-	-	77	-
Main	-	-	3	-	4	1	-	-	-	8	3	-	3	-	-	5	-	-	3	2	-	-	3	-
Points Stories 5-8	-	-	23	-	27	53	-	-	-	4	22	-	41	-	-	52	-	-	94	18	-	-	21	-
Features Stories 5-8	-	-	11	-	55	28	-	-	-	2	11	-	2	-	-	42	-	-	3	22	-	-	9	-
Characters Stories 5-8	-	-	12	-	60	8	-	-	-	5	8	-	2	-	-	33	-	-	68	19	-	-	22	-
Narrators / Audience Stories 5-8	-	-	26	-	81	12	-	-	-	20	7	-	9	-	-	28	-	-	10	8	-	-	43	-
Main	-	-	2	-	3	7	-	-	-	4	3	-	-	-	-	2	-	-	2	2	-	-	2	-
Points Stories 9-12	-	-	10	-	32	21	-	-	-	53	23	-	-	-	-	14	-	-	18	26	-	-	49	-
Features Stories 9-12	-	-	23	-	54	39	-	-	-	13	7	-	-	-	-	29	-	-	6	16	-	-	10	-
Characters Stories 9-12	-	-	20	-	53	8	-	-	-	11	31	-	-	-	-	9	-	-	5	12	-	-	14	-
Narrators / Audience Stories 9-12	-	-	14	-	41	5	-	-	-	14	3	-	-	-	-	5	-	-	5	15	-	-	23	-
<i>Main</i>	-	-	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>Points Story Optional</i>	-	-	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>Features Story Optional</i>	-	-	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>Characters Story Optional</i>	-	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>Narrators / Audience Story Optional</i>	-	-	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Main	21	34	15	18	26	9	3	20	10	3	8	17	37	-	13	20	108	43	8	3	15	-	15	21

### A2.3 Evident reads of the focal story

This data is used to develop in Chapter 9, a complexity ranking for stories based on the number of explicit story referrals and the number of minutes spent on that story. A line in the table can be read as “During the annotation phases 1 and 3, when attending to a given attribute (mp, op, f, p, a, oc, n, au, rr or rs) or attribute group (P, C, NA or R), annotator *A* attends to the text of story *S* *n* times”.

Evident reads of the story during Phases 1 and 3, not including the initial one (P)

Set *a*

Story	Annotator	P	mp	o p	f	C	p	a	oc	NA	n	au	R	rr	rs	Totals
1	4	-	1		2	1	2				1				3	50/6 = 8.33
	5	-	1		2		2									
	12	-		2	5	1	2				1			1	2	
	13	-				1	1		1						1	
	17	-														
	20	-	5			1					1			1	3	
	<b>Totals</b>	0	7/6 = 1.2	2/6 = 0.3	9/6 = 1.5	4/6 = 0.7	7/6 = 1.2	0/6 = 0	1/6 = 0.2	0/6 = 0	3/6 = 0.5	0/6 = 0	0/6 = 0	0/6 = 0	2/6 = 0.3	
5	4	-													2	33/6 = 5.5
	5	-		1											3	
	12	-		1	1		1	3						1		
	13	-				1										
	17	-													1	
	20	-	1		1									1	9	
	<b>Totals</b>	0	1/6 = 0.2	2/6 = 0.3	2/6 = 0.3	1/6 = 0.2	1/6 = 0.2	3/6 = 0.5	0/6 = 0	0/6 = 0	0/6 = 0	0/6 = 0	0/6 = 0	2/6 = 0.3	15/6 = 2.5	
9	4	1													1	44/6 = 7.3
	5	1			1						1		1		2	
	12	-		2	4		2					1		1	3	
	13	-			2										1	
	17	-			1	1			1					2	1	
	20	-	1		1				2				1		3	
	<b>Totals</b>	2/6 = 0.3	1/6 = 0.2	2/6 = 0.3	9/6 = 1.5	1/6 = 0.2	2/6 = 0.3	0/6 = 0	3/6 = 0.5	0/6 = 0	1/6 = 0.2	1/6 = 0.2	2/6 = 0.3	3/6 = 0.5	11/6 = 1.8	

## Set b

Story	Annotator	P	mp	op	f	C	p	a	oc	NA	n	au	R	rr	rs	Totals
2	7	-	1	1								1	1			34/6 = 5.67
	9	-		2	1		1	2			1				1	
	11	-														
	14	-		3	3			1								
	18	-		1	1			1					1	3	1	
	24	-					1									
	<b>Totals</b>	0	1/6 = 0.2	7/6 = 1.2	5/6 = 0.8	1/6 = 0.2	1/6 = 0.2	4/6 = 0.7	0/6 = 0	0/6 = 0	1/6 = 0.2	1/6 = 0.2	2/6 = 0.3	3/6 = 0.5	2/6 = 0.3	
6	7	-					1		1						1	20/6 = 3.33
	9	-	1		2				1							
	11	-														
	14	-		1	2	1					1					
	18	-													1	
	24	-		1												
	<b>Totals</b>	0	1/6 = 0.2	2/6 = 0.3	4/6 = 0.7	1/6 = 0.2	1/6 = 0.2	0/6 = 0	2/6 = 0.3	0/6 = 0	1/6 = 0.2	0/6 = 0	0/6 = 0	0/6 = 0	2/6 = 0.3	
10	7	1		1											1	28/6 = 4.67
	9	1	1	1	1			1						1	1	
	11	1														
	14	1	1	1		1			1							
	18	1		1								1		2		
	24	1			3	1						1	1			
	<b>Totals</b>	0	2/6 = 0.3	4/6 = 0.7	4/6 = 0.7	2/6 = 0.3	0/6 = 0	1/6 = 0.2	1/6 = 0.2	0/6 = 0	0/6 = 0	2/6 = 0.3	1/6 = 0.2	3/6 = 0.5	2/6 = 0.3	

## Set c

Story	Annotator	P	mp	op	f	C	p	a	oc	NA	n	au	R	rr	rs	Totals
3	2	-			3	1					1		1			25/6 = 4.17
	6	-	1													
	15	-														
	16	-	1		2		1	1	1		1					
	21	-	1		2		1		1							
	22	-														
	<b>Totals</b>	0	3/6 = 0.5	0/6 = 0	7/6 = 1.2	1/6 = 0.2	2/6 = 0.3	1/6 = 0.2	2/6 = 0.3	0/6 = 0	2/6 = 0.3	0/6 = 0	1/6 = 0.2	0/6 = 0	0/6 = 0	
7	2	-	1					1			1				1	31/6 = 5.17
	6	-	1	1			1		1							
	15	-			1				1			1	1	2		
	16	-	1	2	2				2				1	1		
	21	1														
	22	-	1													
	<b>Totals</b>	1/6 = 0.2	4/6 = 0.7	3/6 = 0.5	3/6 = 0.5	0/6 = 0	1/6 = 0.2	1/6 = 0.2	4/6 = 0.7	0/6 = 0	1/6 = 0.2	0/6 = 0	1/6 = 0.2	2/6 = 0.3	4/6 = 0.7	
11	2	-		1	1			1					1			17/6 = 2.83
	6	-			1											
	15	-														
	16	-		1	2								1			
	21	-														
	22	-			1										1	
	<b>Totals</b>	0	0/6 = 0	2/6 = 0.3	5/6 = 0.8	0/6 = 0	0/6 = 0	1/6 = 0.2	0/6 = 0	0/6 = 0	0/6 = 0	0/6 = 0	1/6 = 0.2	1/6 = 0.2	1/6 = 0.2	

Set *d*

Story	Annotator	P	mp	op	f	C	p	a	oc	NA	n	au	R	rr	rs	Totals
4	1	-	2	1	1	1	2	1				2		1		39/6 = 6.5
	3	-			2	1						1		1		
	8	-		2	4			1	2	1						
	10	-			1											
	19	-					1		1							
	23	-			1	1	1		1							
	<b>Totals</b>	0	2/6 = 0.3	3/6 = 0.5	9/6 = 1.5	3/6 = 0.5	4/6 = 0.7	2/6 = 0.3	4/6 = 0.7	1/6 = 0.2	0/6 = 0	3/6 = 0.5	0/6 = 0	2/6 = 0.3	0/6 = 0	
8	1	-			3	1	1	1			1				2	52/7 = 7.43
	3	-					2					1				
	8	-		1	4	3										
	10	-			1				1	1					3	
	19	-												1		
	12	-		3	3		4		2						2	
	23	-					2	1	1							
<b>Totals</b>	0	0/7 = 0	4/7 = 0.6	11/7 = 1.6	4/7 = 0.6	9/7 = 1.3	2/7 = 0.3	4/7 = 0.6	1/7 = 0.1	1/7 = 0.1	1/7 = 0.1	0/7 = 0	1/7 = 0.1	7/7 = 1.0		
12	1	-		2	1		1	1			1				1	26/6 = 4.33
	3	-			1				2		1					
	8	-		1	1				1							
	10	-									1	3				
	19	-		1										1		
	23	-														
	<b>Totals</b>	0	0/6 = 0	4/6 = 0.7	3/6 = 0.5	0/6 = 0	1/6 = 0.2	1/6 = 0.2	3/6 = 0.5	0/6 = 0	3/6 = 0.5	3/6 = 0.5	0/6 = 0	1/6 = 0.2	1/6 = 0.2	

Sets *a, b, c* and *d*

Set	P	mp	op	f	C	p	a	oc	NA	n	au	R	rr	rs	Totals
<i>a</i>	0.3	1.6	0.9	3.3	1.1	1.7	0.5	0.7	0	0.7	0.2	0.3	1.1	5.8	18.2
<i>b</i>	0	0.7	2.2	2.2	0.7	0.4	0.9	0.5	0	0.4	0.5	0.5	1.0	0.9	10.9
<i>c</i>	0.2	1.2	0.8	2.5	0.2	0.5	0.6	1.0	0	0.5	0	0.6	0.5	0.9	9.5
<i>d</i>	0	0.3	1.8	3.6	1.1	2.2	0.8	1.8	0.3	0.6	1.1	0	0.6	1.2	15.4
<b>Totals</b>	0.5	3.8	5.7	11.6	3.1	4.8	2.8	4.0	0.3	2.2	1.8	1.4	3.2	8.8	54.0

#### A2.4 Detailed annotation pattern categories

This next table is preparation for the pattern categories P1 to P5 developed in Chapter 9. It gives for each annotator, the counts of attribute value suggestion sources by story, phase and attribute. For the Related Story attribute there is only one source (Type); for both Points attributes there are two sources (Type and Tick); for all other attributes there are three sources (Type, Tick and Select). Given a source, positive numbers refer to inputs and negative numbers refer to removal of previous input. The ratio sign precedes the potential number of inputs.

The potential number of Ticks depends on the session and the Participant's viewing preference. Participants in the second session have access to previous readers' annotations, and provided that they choose to view those annotations, the potential number of ticks will be greater and these are recorded in a second (Tick Readers') column. For Other Points, the potential number of Ticks includes the potential for ticking the demote button. That is, it will always be one greater than the number of Other Points on display. An up arrow in the Tick Editor's column indicates that the participant in partial agreement with the editor has promoted an Other Point to Main Point. Likewise, a down arrow indicates that they have demoted the editor's Main Point.

For all attributes that offer selection lists, the potential number of Selects is determined by the size of the relevant list. The  $\surd$  symbol indicates that they have selected or typed an identical value rather than ticking it directly. For the generic selection lists, a question mark indicate that definitions were consulted; if the question mark is inverted it means that the annotator has agreed directly with the editor after consulting the definition of that term in the list.

Depending on the column, the NOT ( $\neg$ ) symbol indicates either that the relevant selection list has not been viewed or that the list of readers' suggestions for a given attribute has not been viewed.

For all attributes except the Main Point, the potential number of Types is infinite.

To save space, Phase 4 indexing (*italic*) is shown only where the participant has made an intentional change to Phase 1 annotation.

Each row in the table provides in quantitative terms a participant's annotation behaviour regarding a given attribute, phase and story. Each section records the annotation history of a story as provided by that participant. The overall picture is a truer representation of annotation behaviour than can be gained from the results data of Chapter 7.

As usual, the questionnaire responses have been included: the final column attaches to one story, showing the ratings of individual attributes; all other responses are collected together at the top of the table.

Participant *a<sub>4</sub>*: attribute value suggestion history  
 (Quite Easy indexing / Difficult relating / Quite Unrestricted / Quite Useful selection)

Story	Attribute	Tick editor's	list Select	Type own	Rating
1	Main Point	1 : 1	n/a	0 : 1	d
	Other Point	1 : 2	n/a	0 : ∞	n
	Features	1 : 6	1 : 23	0 : ∞	n
	Protagonists	0 : 1	1 : 35	0 : ∞	n
	Antagonists	0 : 1	2-2 : 35	1 : ∞	n
	Other Characters	1 : 1	0 : 35	0 : ∞	n
	Narrators	1 : 2	0 : 5	0 : ∞	n
	Audiences	1 : 1	1 : 35	0 : ∞	n
	Related Reader	n/a	¬ : 35	0 : ∞	n
	Related Story	n/a	n/a	2 : 11	d
5	Main Point	0 : 1	n/a	1 : ∞	
	Other Points	1 : 2	n/a	0 : ∞	
	Features	1 : 8	1 : 23	0 : ∞	
	Protagonists	1 : 1	√1 : 35	0 : ∞	
	Antagonists	1 : 3	1 : 35	0 : ∞	
	Other Characters	1 : 1	¬ : 35	0 : ∞	
	Narrators	1 : 2	0 : 5	0 : ∞	
	Audiences	1 : 1	2 : 35	0 : ∞	
	Related Reader	n/a	¬ : 35	0 : ∞	
	Related Story	n/a	n/a	1 : 11	
9	Main Point	1 : 1	n/a	0 : 1	
	Other Points	1 : 2	n/a	0 : ∞	
	Features	2 : 9	3? : 23	0 : ∞	
	Protagonists	1 : 1	1-1 : 35	0 : ∞	
	Antagonists	1 : 3	1 : 35	0 : ∞	
	Other Characters	1 : 1	1 : 35	0 : ∞	
	Narrators	1 : 2	2-1? : 5	0 : ∞	
	Audiences	1 : 1	1-1 : 35	0 : ∞	
	Related Reader	n/a	¬ : 35	0 : ∞	
	Related Story	n/a	n/a	2 : 11	

Participant  $a_5$ : attribute value suggestion history  
 (Quite Easy indexing / Quite Difficult relating / Restricted / Useful selection)

Story	Attribute	Tick editor's	list Select	Type own	Rating
1	Main Point	0 : 1	n/a	1 : 1	e
	Other Points	2 : 2	n/a	0 : $\infty$	n
	Features	2 : 6	3 : 23	0 : $\infty$	e
	Protagonists	0 : 1	1 : 35	0 : $\infty$	e
	Antagonists	0 : 1	2-1 : 35	0 : $\infty$	n
	Other Characters	1 : 1	0 : 35	0 : $\infty$	n
	Narrators	0 : 2	$\sqrt{1?} : 5$	0 : $\infty$	n
	Audiences	0 : 1	3 : 35	0 : $\infty$	d
	Related Reader	n/a	0 : 35	0 : $\infty$	n
	Related Story	n/a	n/a	2 : 11	d
5	Main Point	1 : 1	n/a	0 : 1	
	Other Points	2 : 2	n/a	0 : $\infty$	
	Features	3 : 8	1? : 23	0 : $\infty$	
	Protagonists	0 : 1	1 : 35	1 : $\infty$	
	Antagonists	1 : 3	1 : 35	0 : $\infty$	
	Other Characters	0 : 1	1 : 35	0 : $\infty$	
	Narrators	1 : 2	$\neg : 5$	0 : $\infty$	
	Audiences	0 : 1	0 : 35	1 : $\infty$	
	Related Reader	n/a	$\neg : 35$	0 : $\infty$	
	Related Story	n/a	n/a	1 : 11	
9	Main point	1 : 1	n/a	0 : 1	
	Other Points	2 : 2	n/a	0 : $\infty$	
	Features	3 : 9	1 : 23	0 : $\infty$	
	Protagonists	1 : 1	0 : 35	0 : $\infty$	
	Antagonists	1 : 3	0 : 35	0 : $\infty$	
	Other Characters	1 : 1	0 : 35	0 : $\infty$	
	Narrators	1 : 2	$\neg : 5$	0 : $\infty$	
	Audiences	1 : 1	0 : 35	0 : $\infty$	
	Related Reader	n/a	$\neg : 35$	0 : $\infty$	
	Related Story	n/a	n/a	1 : 11	

Participant  $a_{12}$ : attribute value suggestion history  
(Easy indexing / Quite Easy relating / Unrestricted / Useful selection)

Story	Attribute	Tick editor's	list Select	Type own	Rating
1	Main Point	1 : 1	n/a	0 : 1	d
	Other Points	1 : 2	n/a	1 : $\infty$	d
	Features	2 - 1 : 6	0? : 23	2 + 2 : $\infty$	n
	Protagonists	1 : 1	$\neg$ : 35	0 : $\infty$	e
	Antagonists	0 : 1	$\neg$ : 35	0 : $\infty$	n
	Other Characters	1 : 1	$\neg$ : 35	1 : $\infty$	e
	Narrators	1 : 2	1? + $\sqrt{1?}$ : 5	0 : $\infty$	n
	Audiences	1 : 1	$\neg$ : 35	2 : $\infty$	e
	Related Reader	n/a	0 : 35	1 : $\infty$	n
	Related Story	n/a	n/a	2 : 11	n
5	Main Point	0 : 1	n/a	1 : 1	
	Other Points	$\downarrow$ 1 : 2	n/a	1 : $\infty$	
	Features	2 : 8	$\neg$ : 23	3 : $\infty$	
	Protagonists	1 : 1	$\neg$ : 35	0 : $\infty$	
	Antagonists	1 : 3	$\neg$ : 35	0 : $\infty$	
	Other Characters	1 : 1	0 : 35	0 : $\infty$	
	Narrators	1 : 2	3? : 5	0 : $\infty$	
	Audiences	1 : 1	0 : 35	1 : $\infty$	
	Related Reader	n/a	$\neg$ : 35	1 : $\infty$	
	Related Story	n/a	n/a	1 : 11	
9	Main Point	1 : 1	n/a	0 : 1	
	Other Points	1 : 2	n/a	1 : $\infty$	
	Features	3 : 9	$\neg$ : 23	6-1+1 : $\infty$	
	Protagonists	1 : 1	0 : 35	0 : $\infty$	
	Antagonists	1 : 3	$\neg$ : 35	0 : $\infty$	
	Other Characters	0 : 1	$\neg$ : 35	0 : $\infty$	
	Narrators	1 : 2	$\sqrt{2?}$ : 5	0 : $\infty$	
	Audiences	1 : 1	$\neg$ : 35	0 : $\infty$	
	Related Reader	n/a	$\neg$ : 35	1 : $\infty$	
	Related Story	n/a	n/a	1 : 11	
8	Main Point	0 : 1	n/a	1 : 1	
	Other Points	$\downarrow$ 2 : 1	n/a	0 : $\infty$	
	Features	0 : 10	0 : 23	3 - 1 + 1 : $\infty$	
	Protagonists	0 : 2	0 : 35	3-2 : $\infty$	
	Antagonists	0 : 1	$\neg$ : 35	2 : $\infty$	
	Other Characters	3 : 4	$\neg$ : 35	0 : $\infty$	
	Narrators	1 : 2	$\sqrt{2?}$ : 5	0 : $\infty$	
	Audiences	1 : 1	$\neg$ : 35	1 : $\infty$	
	Related Reader	n/a	$\neg$ : 35	1 : $\infty$	
	Related Story	n/a	n/a	0 : 11	

Participant  $a_{13}$ : attribute value suggestion history

(Quite Difficult indexing / Easy relating / Quite Unrestricted / Useful selection)

Story	Attribute	Tick editor's	list Select	Type own	Rating
1	Main Point	1 : 1	n/a	0 : 1	d
	Other Points	0 : 2	n/a	0 : $\infty$	n
	Features	3 : 6	2? : 23	0 : $\infty$	e
	Protagonists	1 : 1	2 : 35	0 : $\infty$	e
	Antagonists	1 : 1	0 : 35	0 : $\infty$	n
	Other Characters	1 : 1	$\neg$ : 35	0 : $\infty$	e
	Narrators	1 : 2	1? : 5	0 : $\infty$	e
	Audiences	1 : 1	6-1 : 35	0 : $\infty$	n
	Related Reader	n/a	3-3 : 35	0 : $\infty$	n
	Related Story	n/a	n/a	1 : 11	n
5	Main Point	0 : 1	n/a	1 : 1	
	Other Points	0 : 2	n/a	0 : $\infty$	
	Features	3 : 8	0 : 23	0 : $\infty$	
	Protagonists	1 : 1	1 : 35	0 : $\infty$	
	Antagonists	1 : 3	$\neg$ : 35	0 : $\infty$	
	Other Characters	1 : 1	$\neg$ : 35	0 : $\infty$	
	Narrators	2 : 2	1 <sub>g</sub> : 5	0 : $\infty$	
	Audiences	1 : 1	2 : 35	0 : $\infty$	
	Related Reader	n/a	$\neg$ : 35	0 : $\infty$	
	Related Story	n/a	n/a	2 : 11	
9	Main Point	0 : 1	n/a	1 : 1	
	Other Points	2 : 2	n/a	0 : $\infty$	
	Features	4 : 9	$\neg$ : 23	0 : $\infty$	
	Protagonists	1 : 1	$\neg$ : 35	0 : $\infty$	
	Antagonists	2 : 3	$\neg$ : 35	0 : $\infty$	
	Other Characters	1 : 1	$\neg$ : 35	1 : $\infty$	
	Narrators	1 : 2	$\sqrt{2}$ ? : 5	0 : $\infty$	
	Audiences	1 : 1	1 : 35	0 : $\infty$	
	Related Reader	n/a	$\neg$ : 35	0 : $\infty$	
	Related Story	n/a	n/a	1 : 11	

Participant  $a_{17}$ : attribute value suggestion history  
(Difficult indexing / Quite easy relating / Unrestricted / Very useful selection)

Story	Attribute	Tick E	Tick R	list Select	Type own	Rating
1	Main Point	1 - 1 : 1	n/a	n/a	0 + 1 : 1	e
	Other Points	2 : 2	0 : 2	n/a	0 : $\infty$	d
	Features	2 : 6	$\neg$ : 9	1 + 2 : 23	0 : $\infty$	e
	Protagonists	0 + 1 : 1	$\neg$ : 4	1 - 1 : 35	0 : $\infty$	e
	Antagonists	0 + 1 : 1	$\neg$ : 3	1 - 1 : 35	0 : $\infty$	e
	Other Characters	0 : 1	$\neg$ : 1	$\neg$ : 35	0 : $\infty$	e
	Narrators	0 : 2	$\neg$ : 1	1 : 5	0 : $\infty$	e
	Audiences	0 : 1	$\neg$ : 9	3 + 2 : 35	0 : $\infty$	e
	Related Reader	n/a	n/a	$\neg$ : 35	0 : $\infty$	d
	Related Story	n/a	n/a	n/a	1 : 11	n
5	Main Point	0 : 1	n/a	n/a	1 : 1	
	Other Points	2 : 2	$\neg$ : 4	n/a	1 : $\infty$	
	Features	3 : 8	$\neg$ : 5	1 + 1 : 23	0 : $\infty$	
	Protagonists	0 : 1	$\neg$ : 3	$\sqrt{2}$ : 35	0 : $\infty$	
	Antagonists	2 : 3	$\neg$ : 1	0 + 0 : 35	0 : $\infty$	
	Other Characters	1 : 1	$\neg$ : 1	$\neg$ + 0 : 35	0 : $\infty$	
	Narrators	0 + 1 : 2	$\neg$ : 3	1? : 5	0 : $\infty$	
	Audiences	0 : 1	$\neg$ : 4	2 + 1 : 35	0 : $\infty$	
	Related Reader	n/a	n/a	$\neg$ : 35	0 : $\infty$	
	Related Story	n/a	n/a	n/a	2 : 11	
9	Main Point	0 : 1	n/a	n/a	1 : 1	
	Other Points	1 + 1 : 2	$\neg$ : 2	n/a	1 : $\infty$	
	Features	4 + 2 : 9	$\neg$ : 10	2? + 1 : 23	0 : $\infty$	
	Protagonists	0 + 1 : 1	$\neg$ : 0	2 : 35	0 : $\infty$	
	Antagonists	0 + 1 : 3	$\neg$ : 1	2 : 35	0 : $\infty$	
	Other Characters	0 : 1	$\neg$ : 2	$\neg$ : 35	0 : $\infty$	
	Narrators	0 : 2	$\neg$ : 2	$\sqrt{1}$ : 5	0 : $\infty$	
	Audiences	1 : 1	$\neg$ : 1	5 + 0 : 35	1 : $\infty$	
	Related Reader	n/a	n/a	$\neg$ : 35	1 : $\infty$	
	Related Story	n/a	n/a	n/a	2 : 11	

Participant  $a_{20}$ : attribute value suggestion history  
 (Quite difficult indexing / Quite easy relating / Quite unrestricted / Very useful selection)

Story	Attribute	Tick E	Tick R	list Select	Type own	Rating
1	Main Point	0 : 1	n/a	n/a	1 : 1	e
	Other Points	↓3 : 2	0 : 2	n/a	0 : ∞	n
	Features	3 : 6	¬ : 9	1? : 23	0 : ∞	d
	Protagonists	1 : 1	¬ : 4	¬ : 35	0 : ∞	e
	Antagonists	0 : 1	¬ : 3	2 - 1 : 35	1 : ∞	d
	Other Characters	1 : 1	¬ : 1	¬ : 35	0 : ∞	n
	Narrators	1 : 2	¬ : 1	2? : 5	0 : ∞	n
	Audiences	0 : 1	¬ : 9	3 - 1 : 35	0 : ∞	n
	Related Reader	n/a	n/a	1 : 35	0 : ∞	n
	Related Story	n/a	n/a	n/a	2 : 11	n
5	Main Point	0 : 1	n/a	n/a	1 : 1	
	Other Points	1 : 2	1 : 4	n/a	0 : ∞	
	Features	4 : 8	¬ : 5	4 - 1 : 23	0 : ∞	
	Protagonists	1 : 1	¬ : 3	¬ : 35	0 : ∞	
	Antagonists	2 : 3	¬ : 1	3 : 35	0 : ∞	
	Other Characters	0 : 1	¬ : 1	3 : 35	0 : ∞	
	Narrators	1 : 2	¬ : 3	1? : 5	0 : ∞	
	Audiences	1 : 1	¬ : 4	7 : 35	0 : ∞	
	Related Reader	n/a	n/a	1 : 35	0 : ∞	
	Related Story	n/a	n/a	n/a	6 : 11	
9	Main Point	0 : 1	n/a	n/a	1 : 1	
	Other Points	2 : 2	0 : 2	n/a	0 : ∞	
	Features	3 : 9	0 : 10	4? : 23	0 : ∞	
	Protagonists	1 : 1	¬ : 0	0 : 35	0 : ∞	
	Antagonists	2 : 3	¬ : 1	3 - 1 : 35	1 : ∞	
	Other Characters	1 : 1	¬ : 2	0 : 35	0 : ∞	
	Narrators	1 : 2	¬ : 2	√2? : 5	0 : ∞	
	Audiences	1 : 1	¬ : 1	4 : 35	0 : ∞	
	Related Reader	n/a	n/a	1 : 35	1 : ∞	
	Related Story	n/a	n/a	n/a	8 : 11	

Participant *b<sub>7</sub>*: attribute value suggestion history

(Very Easy indexing / Easy relating / Very Unrestricted / Quite Useful selection)

Story	Attribute	Tick editor's	list Select	Type own	Rating
2	Main Point	↑1 : 1	n/a	0 : 1	e
	Other Points	↓3 : 4	n/a	1 : ∞	e
	Features	8 : 16	¬ : 23	1 : ∞	d
	Protagonists	1 : 1	¬ : 35	0 : ∞	e
	Antagonists	0 : 1	0 : 35	1 : ∞	e
	Other Characters	1 : 2	0 : 35	1 : ∞	e
	Narrators	2 : 2	0? : 5	0 : ∞	e
	Audiences	0 : 1	0 : 35	1 : ∞	d
	Related Reader	n/a	¬ : 35	1 : ∞	e
	Related Story	n/a	n/a	2 : 11	d
6	Main Point	0 : 1	n/a	1 : 1	
	Other Points	↓3 : 2	n/a	1 : ∞	
	Features	5 : 7	¬ : 23	2 : ∞	
	Protagonists	1 : 1	¬ : 35	0 : ∞	
	Antagonists	2 : 2	¬ : 35	0 : ∞	
	Other Characters	0 : 'none'	¬ : 35	0 : ∞	
	Narrators	1 : 2	¬ : 5	0 : ∞	
	Audiences	0 : 1	¬ : 35	2 : ∞	
	Related Reader	n/a	¬ : 35	1 : ∞	
	Related Story	n/a	n/a	1 : 11	
10	Main Point	↑1 : 1	n/a	0 : 1	
	Other Points	↓2 : 2	n/a	0 : ∞	
	Features	7 : 11	¬ : 23	1 : ∞	
	Protagonists	2 : 2	¬ : 35	0 : ∞	
	Antagonists	2 : 2	¬ : 35	0 : ∞	
	Other Characters	1 : 1	¬ : 35	1 : ∞	
	Narrators	2 : 2	¬ : 5	0 : ∞	
	Audiences	0 : 1	5 : 35	1 : ∞	
	Related Reader	n/a	¬ : 35	1 : ∞	
	Related Story	n/a	n/a	2 : 11	

Participant *b<sub>9</sub>*: attribute value suggestion history  
(Easy indexing / Quite Easy relating / Quite Unrestricted / Useful selection)

Story	Attribute	Tick editor's	list Select	Type own	Rating
2	Main Point	1 : 1	n/a	0 : 1	e
	Other Points	2 : 4	n/a	0 : ∞	n
	Features	7 : 16	0? : 23	0 : ∞	e
	Protagonists	1 : 1	¬ : 35	0 : ∞	e
	Antagonists	0 : 1	¬ : 35	0 : ∞	d
	Other Characters	1 : 1	¬ : 35	0 : ∞	n
	Narrators	2 : 2	¬ : 5	0 : ∞	n
	Audiences	1 : 1	¬ : 35	0 : ∞	n
	Related Reader	n/a	1-1 : 35	0 : ∞	d
	Related Story	n/a	n/a	2 : 11	n
6	Main Point	1 : 1	n/a	0 : 1	
	Other Points	2 : 2	n/a	0 : ∞	
	Features	2 : 8	¬ : 23	0 : ∞	
	Protagonists	1 : 1	¬ : 35	0 : ∞	
	Antagonists	1 : 2	¬ : 35	0 : ∞	
	Other Characters	0 : 'none'	¬ : 35	1 : ∞	
	Narrators	1 : 2	¬ : 5	0 : ∞	
	Audiences	1 : 1	¬ : 35	0 : ∞	
	Related Reader	n/a	¬ : 35	1 : ∞	
	Related Story	n/a	n/a	1 : 11	
10	Main Point	1 : 1	n/a	0 : 1	
	Other Points	2 : 2	n/a	0 : ∞	
	Features	6 : 11	¬ : 23	0 : ∞	
	Protagonists	1 : 1	¬ : 35	0 : ∞	
	Antagonists	0 : 2	1 : 35	0 : ∞	
	Other Characters	1 : 1	¬ : 35	0 : ∞	
	Narrators	2 : 2	¬ : 5	0 : ∞	
	Audiences	1 : 1	¬ : 35	0 : ∞	
	Related Reader	n/a	¬ : 35	1 : ∞	
	Related Story	n/a	n/a	1 : 11	

Participant  $b_{11}$ : attribute value suggestion history  
(Easy indexing / Quite Easy relating / Unrestricted / Useful selection)

Story	Attribute	Tick editor's	list Select	Type own	Rating
2	Main Point	0 : 1	n/a	1 : 1	n
	Other Points	1-1 : 4	n/a	1 : $\infty$	n
	Features	6 : 16	3? : 23	1 : $\infty$	e
	Protagonists	0 : 1	0 : 35	1 : $\infty$	n
	Antagonists	0 : 1	0 : 35	1 : $\infty$	d
	Other Characters	1 : 1	0 : 35	2 : $\infty$	d
	Narrators	0 : 2	$\sqrt{1} : 5$	1 : $\infty$	n
	Audiences	0 : 1	1 : 35	1 : $\infty$	n
	Related Reader	n/a	$\neg : 35$	1 : $\infty$	n
	Related Story	n/a	n/a	3 : 11	n
6	Main Point	0 : 1	n/a	1 : 1	
	Other Points	$\downarrow 3 : 2$	n/a	0 : $\infty$	
	Features	4 : 8	5 : 23	0 : $\infty$	
	Protagonists	* : 1	* : 35	* : $\infty$	
	Antagonists	* : 1	* : 35	* : $\infty$	
	Other Characters	* : 'none'	* : 35	* : $\infty$	
	Narrators	1 : 2	1 : 5	0 : $\infty$	
	Audiences	0 : 1	0 : 35	3 : $\infty$	
	Related Reader	n/a	0 : 35	1 : $\infty$	
	Related Story	n/a	n/a	0 : 11	
10	Main Point	0 : 1	n/a	1 : 1	
	Other Points	$\downarrow 2 : 2$	n/a	1 : $\infty$	
	Features	4 : 11	3 : 23	0 : $\infty$	
	Protagonists	* : 1	* : 35	* : $\infty$	
	Antagonists	* : 1	* : 35	* : $\infty$	
	Other Characters	* : 1	* : 35	* : $\infty$	
	Narrators	2 : 2	$\neg : 5$	0 : $\infty$	
	Audiences	1 : 1	0 : 35	2 : $\infty$	
	Related Reader	n/a	$\neg : 35$	1 : $\infty$	
	Related Story	n/a	n/a	2 : 11	

Participant  $b_{14}$ : attribute value suggestion history

(Quite Easy indexing / Quite Easy relating / Unrestricted / Quite Useful selection)

Story	Attribute	Tick editor's	list Select	Type own	Rating
2	Main Point	1-1 : 1	n/a	1 : 1	n
	Other Points	3+↓1 : 4	n/a	1 + 1 : ∞	e
	Features	5 : 16	1 : 23	1 : ∞	d
	Protagonists	1 : 1	¬ : 35	0 : ∞	e
	Antagonists	0 : 1	0 : 35	1 : ∞	n
	Other Characters	1 : 1	¬ : 35	2 : ∞	n
	Narrators	2 : 2	¬ : 5	0 : ∞	e
	Audiences	1 : 1	0 : 35	1 : ∞	n
	Related Reader	n/a	0 : 35	0 : ∞	e
	Related Story	n/a	n/a	1 : 11	n
6	Main Point	0 : 1	n/a	1 : 1	
	Other Points	↓3 : 2	n/a	2 : ∞	
	Features	4 : 8	2 : 23	1 : ∞	
	Protagonists	1 : 1	¬ : 35	0 : ∞	
	Antagonists	0 : 2	¬ : 35	1 : ∞	
	Other Characters	0 : 'none'	¬ : 35	2 : ∞	
	Narrators	2 : 2	0? : 5	0 : ∞	
	Audiences	1 : 1	0 : 35	1 : ∞	
	Related Reader	n/a	¬ : 35	1 : ∞	
	Related Story	n/a	n/a	1 : 11	
10	Main Point	0 : 1	n/a	1 : 1	
	Other Points	↓3 : 2	n/a	1 + 1 : ∞	
	Features	6 : 11	1 : 23	0 : ∞	
	Protagonists	1 : 2	¬ : 35	0 : ∞	
	Antagonists	0 : 2	¬ : 35	1 : ∞	
	Other Characters	0 : 1	¬ : 35	2 : ∞	
	Narrators	2 : 2	0? : 5	0 : ∞	
	Audiences	1 : 1	¬ : 35	1 : ∞	
	Related Reader	n/a	¬ : 35	0 : ∞	
	Related Story	n/a	n/a	1 : 11	

Participant  $b_{18}$ : attribute value suggestion history

(Quite Difficult indexing / Quite Easy relating / Quite Unrestricted / Useful selection)

Story	Attribute	Tick E	Tick R	list Select	Type own	Rating
2	Main Point	1 : 1	n/a	n/a	0 : 1	e
	Other Points	3 : 4	0 : 6	n/a	0 : $\infty$	n
	Features	9 + 1 : 16	$\neg$ : 7	0? : 23	0 : $\infty$	e
	Protagonists	1 : 1	$\neg$ : 1	$\neg$ : 35	0 : $\infty$	d
	Antagonists	1 : 1	$\neg$ : 3	$\neg$ : 35	0 : $\infty$	d
	Other Characters	1 : 1	$\neg$ : 5	$\neg$ : 35	0 : $\infty$	n
	Narrators	2 : 2	$\neg$ : 1	1? : 5	0 : $\infty$	e
	Audiences	1 : 1	$\neg$ : 4	4 : 35	0 : $\infty$	n
	Related Reader	n/a	n/a	$\neg$ : 35	2 : $\infty$	d
	Related Story	n/a	n/a	n/a	1 : 11	e
6	Main Point	1 : 1	n/a	n/a	0 : 1	
	Other Points	1 + 1 : 2	$\neg$ : 6	n/a	0 : $\infty$	
	Features	3 : 8	$\neg$ : 8	$\neg$ : 23	0 : $\infty$	
	Protagonists	1 : 1	$\neg$ : 0	$\neg$ : 35	0 : $\infty$	
	Antagonists	1 : 2	$\neg$ : 1	$\neg$ : 35	0 : $\infty$	
	Other Characters	0 : 'none'	$\neg$ : 3	$\neg$ : 35	0 : $\infty$	
	Narrators	2 : 2	$\neg$ : 1	0? : 5	0 : $\infty$	
	Audiences	1 : 1	$\neg$ : 5	2 : 35	0 : $\infty$	
	Related Reader	n/a	n/a	$\neg$ : 35	0 : $\infty$	
	Related Story	n/a	n/a	n/a	2 : 11	
10	Main Point	1 : 1	n/a	n/a	0 : 1	
	Other Points	0 + 1 : 2	1 : 5	n/a	0 : $\infty$	
	Features	5 : 11	$\neg$ : 5	0? : 23	0 : $\infty$	
	Protagonists	2 : 2	$\neg$ : 0	$\neg$ : 35	0 : $\infty$	
	Antagonists	2 : 2	$\neg$ : 2	$\neg$ : 35	0 : $\infty$	
	Other Characters	1 : 1	$\neg$ : 3	$\neg$ : 35	1 : $\infty$	
	Narrators	2 : 2	$\neg$ : 0	$\neg$ : 5	0 : $\infty$	
	Audiences	0 : 1	$\neg$ : 9	4 : 35	0 : $\infty$	
	Related Reader	n/a	n/a	1 : 35	1 : $\infty$	
	Related Story	n/a	n/a	n/a	3 : 11	

Participant  $b_{24}$ : attribute value suggestion history  
(Easy indexing / Easy relating / Unrestricted / Useful selection)

Story	Attribute	Tick E	Tick R	list Select	Type own	Rating
2	Main Point	1 : 1	n/a	n/a	0 : 1	e
	Other Points	2 : 4	¬ : 6	n/a	1 : ∞	n
	Features	13 : 16	¬ : 7	0 : 23	0 : ∞	n
	Protagonists	1 : 1	¬ : 1	0 : 35	0 : ∞	n
	Antagonists	1 : 1	¬ : 3	¬ : 35	1 : ∞	e
	Other Characters	1 : 1	¬ : 5	¬ : 35	0 : ∞	n
	Narrators	1 : 2	¬ : 1	¬ : 5	0 : ∞	d
	Audiences	1 : 1	¬ : 4	0 : 35	2 : ∞	n
	Related Reader	n/a	n/a	¬ : 35	0 : ∞	n
	Related Story	n/a	n/a	n/a	0 : 11	n
6	Main Point	1 : 1	n/a	n/a	0 : 1	
	Other Points	2 : 2	¬ : 6	n/a	0 : ∞	
	Features	6 : 8	¬ : 8	¬ : 23	1 : ∞	
	Protagonists	1 : 1	¬ : 0	¬ : 35	0 : ∞	
	Antagonists	1 : 2	¬ : 1	¬ : 35	1 : ∞	
	Other Characters	0 : 'none'	¬ : 3	¬ : 35	1 : ∞	
	Narrators	1 : 2	¬ : 1	¬ : 5	0 : ∞	
	Audiences	1 : 1	¬ : 5	¬ : 35	1 : ∞	
	Related Reader	n/a	n/a	0 : 35	2 : ∞	
	Related Story	n/a	n/a	n/a	0 : 11	
10	Main Point	↓1 : 1	n/a	n/a	0 : 1	
	Other Points	↑1 : 2	¬ : 5	n/a	2 : ∞	
	Features	8 : 11	¬ : 5	¬ : 23	0 : ∞	
	Protagonists	2 : 2	¬ : 0	¬ : 35	0 : ∞	
	Antagonists	1 : 2	¬ : 2	¬ : 35	0 : ∞	
	Other Characters	1 : 1	¬ : 3	¬ : 35	0 : ∞	
	Narrators	1 : 2	¬ : 0	¬ : 5	0 : ∞	
	Audiences	1 : 1	¬ : 9	0 : 35	1 : ∞	
	Related Reader	n/a	n/a	3-2 : 35	1 : ∞	
	Related Story	n/a	n/a	n/a	1 : 11	

Participant  $c_2$ : attribute value suggestion history

(Quite Easy indexing / Difficult relating / Unrestricted / Very Useful selection)

Story	Attribute	Tick editor's	list Select	Type own	Rating
3	Main Point	1-1 : 1	n/a	1 : 1	e
	Other Points	2+1 : 3	n/a	2 -1: $\infty$	n
	Features	2 : 7	1? : 23	0 : $\infty$	n
	Protagonists	1 : 1	$\neg$ : 35	0 : $\infty$	e
	Antagonists	0 : 2	$\neg$ : 35	1 : $\infty$	n
	Other Characters	1 : 1	$\neg$ : 35	0 : $\infty$	n
	Narrators	0 : 2	$\sqrt{2}$ ? : 5	0 : $\infty$	n
	Audiences	1 : 1	1 : 35	0 : $\infty$	d
	Related Reader	n/a	0 : 35	2 : $\infty$	d
	Related Story	n/a	n/a	0 : 11	n
7	Main Point	$\uparrow$ 1 : 1	n/a	0 : 1	
	Other Points	$\downarrow$ 1 : 1	n/a	0 : $\infty$	
	Features	5 : 9	2-1? : 23	1 : $\infty$	
	Protagonists	1 : 1	0 : 35	0 : $\infty$	
	Antagonists	1 : 1	$\neg$ : 35	0 : $\infty$	
	Other Characters	0 : 'none'	0 : 35	1 : $\infty$	
	Narrators	1 : 2	0? : 5	0 : $\infty$	
	Audiences	0 : 1	0 : 35	2 : $\infty$	
	Related Reader	n/a	0 : 35	1 : $\infty$	
	Related Story	n/a	n/a	1 : 11	
11	Main Point	0 : 1	n/a	1 : 1	
	Other Point	$\downarrow$ 1-1 : 0	n/a	1 : $\infty$	
	Features	7-4 : 7	3 : 23	0 : $\infty$	
	Protagonists	1 : 1	$\neg$ : 35	0 : $\infty$	
	Antagonists	0 : 1	0 : 35	1 : $\infty$	
	Other Characters	1 : 1	$\neg$ : 35	0 : $\infty$	
	Narrators	2 : 2	0? : 5	0 : $\infty$	
	Audiences	1 : 1	1 : 35	0 : $\infty$	
	Related Reader	n/a	0 : 35	1 : $\infty$	
	Related Story	n/a	n/a	2 : 11	

Participant *c6*: attribute value suggestion history

(Quite Difficult indexing / Quite Difficult relating / Unrestricted / Useful selection)

Story	Attribute	Tick editor's	list Select	Type own	Rating
3	Main Point	↑1 : 1	n/a	0 : 1	e
	Other Points	↓2 : 3	n/a	0 : ∞	n
	Features	5 : 7	3? : 23	0 : ∞	d
	Protagonists	1 : 1	0 : 35	1-1 : ∞	d
	Antagonists	2 : 2	¬ : 35	0 : ∞	d
	Other Characters	1 : 1	1 : 35	0 : ∞	n
	Narrators	1 : 2	1? : 5	0 : ∞	n
	Audiences	1 : 1	2 : 35	1 : ∞	e
	Related Reader	n/a	¬ : 35	4-2 : ∞	n
	Related Story	n/a	n/a	2 : 11	n
7	Main Point	↑1 : 1	n/a	0 : 1	
	Other Points	↓1 : 1	n/a	0 : ∞	
	Features	4 : 9	5? : 23	0 : ∞	
	Protagonists	1 : 1	0 : 35	0 : ∞	
	Antagonists	1 : 1	¬ : 35	0 : ∞	
	Other Characters	0 : 'none'	1 : 35	0 : ∞	
	Narrators	2 : 2	1? : 5	0 : ∞	
	Audiences	1 : 1	1 : 35	1 : ∞	
	Related Reader	n/a	¬ : 35	1 : ∞	
	Related Story	n/a	n/a	2 : 11	
11	Main Point	0 : 1	n/a	1 : 1	
	Other Points	0 : 0	n/a	1 : ∞	
	Features	3 : 7	1? : 23	0 : ∞	
	Protagonists	0 : 1	¬ : 35	1 : ∞	
	Antagonists	0 : 1	¬ : 35	1 : ∞	
	Other Characters	0 : 1	1 : 35	1 : ∞	
	Narrators	2 : 2	2? : 5	0 : ∞	
	Audiences	1 : 1	¬ : 35	2 : ∞	
	Related Reader	n/a	¬ : 35	1 : ∞	
	Related Story	n/a	n/a	3 : 11	

Participant  $c_{15}$ : attribute value suggestion history

(Quite Easy indexing / Quite Easy relating / Unrestricted / Quite Useful selection)

Story	Attribute	Tick editor's	list Select	Type own	Rating
3	Main Point	1 : 1	n/a	0 : 1	e
	Other Points	3 : 3	n/a	0 : $\infty$	e
	Features	7 : 7	0 : 23	0 : $\infty$	n
	Protagonists	1 : 1	$\neg$ : 35	0 : $\infty$	n
	Antagonists	2 : 2	0 : 35	0 : $\infty$	n
	Other Characters	1 : 1	$\neg$ : 35	0 : $\infty$	n
	Narrators	1 : 2	1? : 5	0 : $\infty$	n
	Audiences	1 : 1	0 : 35	0 : $\infty$	d
	Related Reader	n/a	$\neg$ : 35	0 : $\infty$	d
	Related Story	n/a	n/a	3 : 11	n
7	Main Point	1 : 1	n/a	0 : 1	
	Other Points	1 : 1	n/a	0 : $\infty$	
	Features	5 : 9	2? : 23	0 : $\infty$	
	Protagonists	0 : 1	1-1 : 35	1 : $\infty$	
	Antagonists	1 : 1	$\neg$ : 35	0 : $\infty$	
	Other Characters	1 : 'none'	0 : 35	0 : $\infty$	
	Narrators	1-1 : 2	1? : 5	1 : $\infty$	
	Audiences	1 : 1	0 : 35	0 : $\infty$	
	Related Reader	n/a	$\neg$ : 35	1 : $\infty$	
	Related Story	n/a	n/a	3 : 11	
11	Main Point	1 : 1	n/a	0 : 1	
	Other Points	1 : 0	n/a	0 : $\infty$	
	Features	2 : 7	3? : 23	0 : $\infty$	
	Protagonists	1 : 1	$\neg$ : 35	0 : $\infty$	
	Antagonists	1 : 1	$\neg$ : 35	0 : $\infty$	
	Other Characters	1 : 1	$\neg$ : 35	0 : $\infty$	
	Narrators	2 : 2	0? : 5	0 : $\infty$	
	Audiences	1 : 1	$\neg$ : 35	0 : $\infty$	
	Related Reader	n/a	$\neg$ : 35	1 : $\infty$	
	Related Story	n/a	n/a	4 : 11	

Participant  $c_{16}$ : attribute value suggestion history

(Quite Difficult indexing / Quite Easy relating / Quite Unrestricted / Quite Useful selection)

Story	Attribute	Tick editor's	list Select	Type own	Rating
3	Main Point	$\uparrow 1 : 1$	n/a	$0 : 1$	d
	Other Points	$\downarrow 3 : 3$	n/a	$2 : \infty$	n
	Features	$5 : 7$	$1 : 23$	$3 + I : \infty$	e
	Protagonists	$1 : 1$	$\neg : 35$	$0 : \infty$	e
	Antagonists	$2 : 2$	$\neg : 35$	$0 : \infty$	e
	Other Characters	$1 : 1$	$\neg : 35$	$0 : \infty$	n
	Narrators	$2 : 2$	$0_{\bar{c}} : 5$	$0 : \infty$	n
	Audiences	$0 : 1$	$2-1 : 35$	$3 : \infty$	n
	Related Reader	n/a	$0 : 35$	$1 : \infty$	d
	Related Story	n/a	n/a	$2 : 11$	d
11	Main Point	$1 : 1$	n/a	$0 : 1$	
	Other Points	$0 : 1$	n/a	$3 : \infty$	
	Features	$5 : 7$	$0 : 23$	$2 + I : \infty$	
	Protagonists	$1 : 1$	$\neg : 35$	$0 : \infty$	
	Antagonists	$1 : 1$	$\neg : 35$	$0 : \infty$	
	Other Characters	$1 : 1$	$0 : 35$	$2 : \infty$	
	Narrators	$2 : 2$	$\neg : 5$	$0 : \infty$	
	Audiences	$1 : 1$	$0 : 35$	$2 : \infty$	
	Related Reader	n/a	$\neg : 35$	$0 : \infty$	
	Related Story	n/a	n/a	$4 : 11$	
7	Main Point	$1 : 1$	n/a	$0 : 1$	
	Other Points	$1 : 0$	n/a	$2 + I : \infty$	
	Features	$8 : 9$	$2? : 23$	$2 : \infty$	
	Protagonists	$1 : 1$	$0 : 35$	$2 : \infty$	
	Antagonists	$1 : 1$	$\neg : 35$	$0 : \infty$	
	Other Characters	$0 : \text{'none'}$	$I : 35$	$1 : \infty$	
	Narrators	$2 : 2$	$1_{\bar{c}} : 5$	$0 : \infty$	
	Audiences	$1 : 1$	$3-1 : 35$	$1 : \infty$	
	Related Reader	n/a	$\neg : 35$	$2 : \infty$	
	Related Story	n/a	n/a	$5 : 11$	

Participant  $c_{21}$ : attribute value suggestion history

( Quite easy indexing / Easy relating / Quite restricted / Quite useful selection)

Story	Attribute	Tick E	Tick R	list Select	Type own	Rating
3	Main Point	0 : 1	n/a	n/a	1 : 1	d
	Other Points	↓4 : 3	0 : 4	n/a	2 : ∞	e
	Features	3 : 7	¬ : 8	?0 : 23	1 : ∞	e
	Protagonists	1 : 1	¬ : 1	¬ : 35	0 : ∞	e
	Antagonists	2 : 2	¬ : 1	0 : 35	1 : ∞	d
	Other Characters	1 : 1	¬ : 1	¬ : 35	0 : ∞	e
	Narrators	0 : 2	¬ : 2	?1 : 5	0 : ∞	n
	Audiences	1 : 1	¬ : 7	9 : 35	2 : ∞	e
	Related Reader	n/a	n/a	1 : 35	2 : ∞	e
	Related Story	n/a	n/a	n/a	1 : 11	n
7	Main Point	0 : 1	n/a	n/a	1 : 1	
	Other Points	0 : 1	¬ : 3	n/a	2 : ∞	
	Features	2 : 9	¬ : 9	0 : 23	2 : ∞	
	Protagonists	1 : 1	¬ : 2	0 : 35	2 : ∞	
	Antagonists	1 : 1	¬ : 0	0 : 35	1 : ∞	
	Other Characters	1-1:none	¬ : 3	¬ : 35	2 : ∞	
	Narrators	1 : 2	¬ : 3	?0 : 5	1 : ∞	
	Audiences	1 : 1	¬ : 5	7 : 35	2 : ∞	
	Related Reader	n/a	n/a	¬ : 35	2 : ∞	
	Related Story	n/a	n/a	n/a	3 : 11	
11	Main Point	1 : 1	n/a	n/a	0 : 1	
	Other Points	0 : 0	¬ : 7	n/a	1 : ∞	
	Features	3 : 7	¬ : 9	¬ : 23	4 : ∞	
	Protagonists	1 : 1	¬ : 1	¬ : 35	2 - 1 : ∞	
	Antagonists	1 : 1	¬ : 2	0 : 35	2 : ∞	
	Other Characters	1 : 1	¬ : 4	1 : 35	2 : ∞	
	Narrators	1 : 2	¬ : 2	?0 : 5	1 : ∞	
	Audiences	1 : 1	¬ : 4	3 - 1 : 35	2 : ∞	
	Related Reader	n/a	n/a	¬ : 35	2 : ∞*	
	Related Story	n/a	n/a	n/a	2 : 11	

\* indicates omitted task part; values obtained during discussion after

Participant  $c_{22}$ : attribute value suggestion history

( Easy indexing / Quite easy relating / Quite unrestricted / Very useful selection)

Story	Attribute	Tick E	Tick R	list Select	Type own	Rating
3	Main Point	1 : 1	n/a	n/a	0 : 1	e
	Other Points	1 : 3	0 : 4	n/a	1 : $\infty$	n
	Features	4 : 7	$\neg$ : 8	?0: 23	1 : $\infty$	e
	Protagonists	1 : 1	$\neg$ : 1	$\neg$ : 35	0 : $\infty$	d
	Antagonists	2 : 2	$\neg$ : 1	$\neg$ : 35	0 : $\infty$	d
	Other Characters	1 : 1	$\neg$ : 1	$\neg$ : 35	0 : $\infty$	d
	Narrators	1 : 2	$\neg$ : 2	?0 : 5	0 : $\infty$	n
	Audiences	1 : 1	$\neg$ : 7	1 : 35	1 : $\infty$	e
	Related Reader	n/a	n/a	1 : 35	1 : $\infty$	n
	Related Story	n/a	n/a	n/a	: 11	e
7	Main Point	0 : 1	n/a	n/a	1 : 1	
	Other Points	$\downarrow$ 1 : 1	$\neg$ : 3	n/a	0 : $\infty$	
	Features	3 : 9	$\neg$ : 9	$\neg$ : 23	1 : $\infty$	
	Protagonists	1 : 1	$\neg$ : 2	$\neg$ : 35	0 : $\infty$	
	Antagonists	0 : 1	$\neg$ : 0	0 : 35	0 : $\infty$	
	Other Characters	0 : 'none'	$\neg$ : 3	0 : 35	1 : $\infty$	
	Narrators	1 : 2	0 : 3	0 <sub>z</sub> : 5	0 : $\infty$	
	Audiences	1 : 1	0 : 5	0 : 35	1 : $\infty$	
	Related Reader	n/a	n/a	$\neg$ : 35	1 : $\infty$	
	Related Story	n/a	n/a	n/a	1 : 11	
11	Main Point	0 : 1	$\checkmark$	n/a	0 : 1	
	Other Points	0 : 0	$\uparrow$ 1 : 7	n/a	1 : $\infty$	
	Features	6 : 7	$\neg$ : 9	$\neg$ : 23	1 : $\infty$	
	Protagonists	1 – 1 : 1	1 : 1	$\neg$ : 35	$\checkmark$ : $\infty$	
	Antagonists	0 : 1	0 : 2	0 : 35	1 : $\infty$	
	Other Characters	0 : 1	1 : 4	$\neg$ : 35	$\checkmark$ : $\infty$	
	Narrators	1 : 2	$\neg$ : 2	0? : 5	0 : $\infty$	
	Audiences	1 : 1	$\neg$ : 4	$\neg$ : 35	2 : $\infty$	
	Related Reader	n/a	n/a	1 : 35	1 : $\infty$	
	Related Story	n/a	n/a	n/a	3 : 11	

Participant  $d_7$ : attribute value suggestion history  
(Easy indexing / Quite Easy relating / Unrestricted / Useful selection)

Story	Attribute	Tick editor's	list Select	Type own	Rating
4	Main Point	1-1 : 1	n/a	1 : 1	e
	Other Point	↓2 : 1	n/a	1 : ∞	e
	Features	6 : 8	¬ : 23	0 : ∞	d
	Protagonist	1 : 1	¬ : 35	0 : ∞	e
	Antagonist	1 : 1	¬ : 35	0 : ∞	e
	Other Characters	0 : 2	¬ : 35	0 : ∞	n
	Narrators	2 : 2	¬ : 5	0 : ∞	e
	Audiences	1 : 1	0 : 35	1 : ∞	e
	Related Reader	n/a	¬ : 35	0 : ∞	n
	Related Story	n/a	n/a	0 : 11	n
8	Main Point	0 : 1	n/a	1 : 1	
	Other Point	↓2 : 1	n/a	1-1 : ∞	
	Features	6 : 10	¬ : 23	0 : ∞	
	Protagonists	1 : 2	¬ : 35	3 : ∞	
	Antagonists	1 : 1	¬ : 35	1 : ∞	
	Other Characters	1 : 4	¬ : 35	0 : ∞	
	Narrators	1 : 2	1 : 5	0 : ∞	
	Audiences	1 : 1	0 : 35	0 : ∞	
	Related Reader	n/a	¬ : 35	0 : ∞	
	Related Story	n/a	n/a	1 : 11	
12	Main Point	1 : 1	n/a	0 : 1	
	Other Points	2 : 2	n/a	1 : ∞	
	Features	3 : 7	0 : 23	0 : ∞	
	Protagonists	1 : 1	¬ : 35	0 : ∞	
	Antagonists	0 : 1	¬ : 35	1 : ∞	
	Other Characters	1 : 1	¬ : 35	0 : ∞	
	Narrators	0 : 2	¬ : 5	1 : ∞	
	Audiences	1 : 1	0 : 35	0 : ∞	
	Related Reader	n/a	¬ : 35	0 : ∞	
	Related Story	n/a	n/a	3-1 : 11	

Participant  $d_3$ : attribute value suggestion history  
(Easy indexing / Easy relating / Unrestricted / Very Useful selection)

Story	Attribute	Tick editor's	list Select	Type own	Rating
4	Main Point	0 : 1	n/a	1 : 1	d
	Other Points	↓1-1 : 1	n/a	1 : ∞	e
	Features	8 : 8	1 : 23	5 : ∞	n
	Protagonists	1 : 1	0 : 35	1 : ∞	d
	Antagonists	1 : 1	¬ : 35	1 : ∞	d
	Other Characters	2 : 2	0 : 35	1 : ∞	e
	Narrators	2-1 : 2	0 : 5	1 : ∞	e
	Audiences	0 : 1	0 : 35	2 : ∞	d
	Related Reader	n/a	¬ : 35	1 : ∞	e
	Related Story	n/a	n/a	2 : 11	d
8	Main Point	1 : 1	n/a	0 : 1	
	Other Point	0 : 1	n/a	1 : ∞	
	Features	10 : 10	¬ : 23	4 : ∞	
	Protagonists	1-1 : 2	¬ : 35	2 : ∞	
	Antagonists	1 : 1	¬ : 35	0 : ∞	
	Other Characters	2 : 4	¬ : 35	3 : ∞	
	Narrators	1 : 2	1? : 5	1 : ∞	
	Audiences	1 : 1	¬ : 35	1 : ∞	
	Related Reader	n/a	¬ : 35	3 : ∞	
	Related Story	n/a	n/a	2 : 11	
12	Main Point	0 : 1	n/a	1 : 1	
	Other Points	2 : 2	n/a	1 : ∞	
	Features	7 : 7	¬ : 23	4 : ∞	
	Protagonists	1 : 1	¬ : 35	0 : ∞	
	Antagonists	0 : 1	¬ : 35	1 : ∞	
	Other Characters	1 : 1	¬ : 35	1 : ∞	
	Narrators	1 : 2	1? : 5	1 : ∞	
	Audiences	1 : 1	¬ : 35	1 : ∞	
	Related Reader	n/a	¬ : 35	0 : ∞	
	Related Story	n/a	n/a	2 : ∞	

Participant  $d_8$ : attribute value suggestion history

(Quite Easy indexing / Quite Easy relating / Quite Unrestricted / Useful selection)

Story	Attribute	Tick editor's	list Select	Type own	Rating
4	Main Point	1 : 1	n/a	0 : 1	e
	Other Points	1 : 1	n/a	1 : $\infty$	e
	Features	3 : 8	4 : 23	1 : $\infty$	n
	Protagonists	1 : 1	0 : 35	0 : $\infty$	e
	Antagonists	1 : 1	$\neg$ : 35	0 : $\infty$	n
	Other Characters	2-1 : 2	$\neg$ : 35	1 : $\infty$	n
	Narrators	1 : 2	$\neg$ : 5	0 : $\infty$	n
	Audiences	0 : 1	0 : 35	1 : $\infty$	d
	Related Reader	n/a	$\neg$ : 35	0 : $\infty$	d
	Related Story	n/a	n/a	1 : 11	n
8	Main Point	1 : 1	n/a	0 : 1	
	Other Points	1 : 1	n/a	1 : $\infty$	
	Features	5 : 10	2 : 23	0 : $\infty$	
	Protagonists	1 : 2	$\neg$ : 35	2-2 : $\infty$	
	Antagonists	1 : 1	$\neg$ : 35	0 : $\infty$	
	Other Characters	4 : 4	$\neg$ : 35	0 : $\infty$	
	Narrators	1 : 2	$\neg$ : 5	0 : $\infty$	
	Audiences	1 : 1	2 : 35	0 : $\infty$	
	Related Reader	n/a	0 : 35	0 : $\infty$	
	Related Story	n/a	n/a	1 : 11	
12	Main Point	1 : 1	n/a	0 : 1	
	Other Points	2 : 2	n/a	0 : $\infty$	
	Features	1 : 7	2 : 23	1 : $\infty$	
	Protagonists	1 : 1	$\neg$ : 35	0 : $\infty$	
	Antagonists	0 : 1	$\neg$ : 35	1 : $\infty$	
	Other Characters	1 : 4	$\neg$ : 35	0 : $\infty$	
	Narrators	1 : 2	$\neg$ : 5	0 : $\infty$	
	Audiences	1 : 1	1 : 35	0 : $\infty$	
	Related Reader	n/a	$\neg$ : 35	0 : $\infty$	
	Related Story	n/a	n/a	1 : 11	

Participant  $d_{10}$ : attribute value suggestion history  
(Easy indexing / Very Easy relating / Unrestricted / Very Useful selection)

Story	Attribute	Tick editor's	list Select	Type own	Rating
4	Main Point	0 : 1	n/a	1 : 1	e
	Other Points	1 : 1	n/a	0 : $\infty$	d
	Features	2 : 8	0 : 23	1 : $\infty$	n
	Protagonists	0 : 1	1 : 35	0 : $\infty$	e
	Antagonists	1 : 1	$\neg$ : 35	0 : $\infty$	e
	Other Characters	2 : 2	0 : 35	1 : $\infty$	n
	Narrators	2 : 2	$\neg$ : 5	0 : $\infty$	n
	Audiences	1 : 1	0 : 35	0 : $\infty$	d
	Related Reader	n/a	$\neg$ : 35	0 : $\infty$	n
	Related Story	n/a	n/a	0 : 11	e
8	Main Point	1 : 1	n/a	0 : 1	
	Other Points	0 : 1	n/a	1 : $\infty$	
	Features	2 : 10	2 : 23	1 : $\infty$	
	Protagonists	1 : 2	$\neg$ : 35	0 : $\infty$	
	Antagonists	1 : 1	0 : 35	0 : $\infty$	
	Other Characters	4 : 4	$\neg$ : 35	1 : $\infty$	
	Narrators	1 : 2	1 : 5	0 : $\infty$	
	Audiences	1 : 1	0 : 35	1 : $\infty$	
	Related Reader	n/a	$\neg$ : 35	0 : $\infty$	
	Related Story	n/a	n/a	1 : 11	
12	Main Point	1 : 1	n/a	0 : 1	
	Other Points	2 : 2	n/a	1 : $\infty$	
	Features	2 : 7	1 : 23	1 : $\infty$	
	Protagonists	0 : 1	1 : 35	0 : $\infty$	
	Antagonists	0 : 1	0 : 35	1 : $\infty$	
	Other Characters	0 : 1	0 : 35	2 : $\infty$	
	Narrators	1 : 2	1 : 5	1 : $\infty$	
	Audiences	1 : 1	0 : 35	0 : $\infty$	
	Related Reader	n/a	$\neg$ : 35	0 : $\infty$	
	Related Story	n/a	n/a	2 : 11	

Participant  $d_{19}$ : attribute value suggestion history  
 ( Difficult indexing / Easy relating / Unrestricted / Useful selection)

Story	Attribute	Tick E	Tick R	list Select	Type own	Rating
4	Main Point	0 : 1	n/a	n/a	1 : 1	n
	Other Points	1 : 1	0 : 6	n/a	0 : $\infty$	e
	Features	3 : 8	$\neg$ : 12	2 : 23	0 : $\infty$	n
	Protagonists	1 : 1	$\neg$ : 2	2 : 35	0 : $\infty$	e
	Antagonists	1 : 1	$\neg$ : 1	$\neg$ : 35	0 : $\infty$	e
	Other Characters	2-1 : 2	$\neg$ : 3	$\neg$ : 35	0 : $\infty$	n
	Narrators	1 : 2	$\neg$ : 1	?1 : 5	0 : $\infty$	n
	Audiences	0 : 1	$\neg$ : 4	4 : 35	0 : $\infty$	n
	Related Reader	n/a	n/a	$\neg$ : 35	1 : $\infty$	d
	Related Story	n/a	n/a	n/a	2 : 11	n
8	Main Point	1 : 1	n/a	n/a	0 : 1	
	Other Points	1 : 1	$\neg$ : 5	n/a	1 : $\infty$	
	Features	4 : 10	$\neg$ : 13	?1 : 23	0 : $\infty$	
	Protagonists	1 : 2	$\neg$ : 5	0 : 35	0 : $\infty$	
	Antagonists	1 : 1	$\neg$ : 3	$\neg$ : 35	0 : $\infty$	
	Other Characters	2 : 4	$\neg$ : 3	$\neg$ : 35	0 : $\infty$	
	Narrators	1 : 2	$\neg$ : 3	$\sqrt{2}$ -1 : 5	0 : $\infty$	
	Audiences	1 : 1	$\neg$ : 5	0 : 35	0 : $\infty$	
	Related Reader	n/a	n/a	$\neg$ : 35	1 : $\infty$	
	Related Story	n/a	n/a	n/a	3 : 11	
12	Main Point	1 : 1	n/a	n/a	0 : 1	
	Other Points	0 + 2 : 2	$\neg$ : 4	n/a	1 : $\infty$	
	Features	4 : 7	$\neg$ : 9	?1 : 23	1 : $\infty$	
	Protagonists	1 : 1	$\neg$ : 2	$\neg$ : 35	0 : $\infty$	
	Antagonists	0 : 1	$\neg$ : 4	$\neg$ : 35	1 : $\infty$	
	Other Characters	0 : 1	$\neg$ : 3	$\neg$ : 35	0 : $\infty$	
	Narrators	1 : 2	$\neg$ : 4	?0 : 5	0 : $\infty$	
	Audiences	0 : 1	$\neg$ : 2	1 : 35	0 : $\infty$	
	Related Reader	n/a	n/a	$\neg$ : 35	0 : $\infty$	
	Related Story	n/a	n/a	n/a	2 : 11	

Participant  $d_{23}$ : attribute value suggestion history  
 ( Quite easy indexing / Easy relating / Unrestricted / Quite useful selection)

Story	Attribute	Tick E	Tick R	list Select	Type own	Rating
4	Main Point	1 : 1	n/a	n/a	0 : 1	e
	Other Points	0 : 1	0 : 6	n/a	1 : $\infty$	n
	Features	5 : 8	$\neg$ : 12	$\sqrt{8-1?} : 23$	0 : $\infty$	n
	Protagonists	0 : 1	$\neg$ : 2	1 : 35	0 : $\infty$	e
	Antagonists	0 : 1	$\neg$ : 1	0 : 35	1 : $\infty$	e
	Other Characters	2 : 2	$\neg$ : 3	$\neg$ : 35	1 : $\infty$	e
	Narrators	2 : 2	$\neg$ : 1	0? : 5	0 : $\infty$	n
	Audiences	0 : 1	$\neg$ : 4	3 : 35	0 : $\infty$	d
	Related Reader	n/a	n/a	$\neg$ : 35	1 : $\infty$	d
	Related Story	n/a	n/a	n/a	1 : 11	d
8	Main Point	1 : 1	n/a	n/a	0 : 1	
	Other Points	1 : 1	2 : 5	n/a	0 : $\infty$	
	Features	6 : 10	$\neg$ : 13	8? : 23	0 : $\infty$	
	Protagonists	1 : 2	$\neg$ : 5	1 : 35	1 : $\infty$	
	Antagonists	1 : 1	$\neg$ : 3	0 : 35	0 : $\infty$	
	Other Characters	2 : 4	$\neg$ : 3	$\neg$ : 35	1 : $\infty$	
	Narrators	2 : 2	$\neg$ : 3	0 <sub>6</sub> : 5	0 : $\infty$	
	Audiences	1 : 1	$\neg$ : 5	3 : 35	0 : $\infty$	
	Related Reader	n/a	n/a	$\neg$ : 35	2 : $\infty$	
	Related Story	n/a	n/a	n/a	3 : 11	
12	Main Point	1-1 : 1	$\sqrt$	n/a	0 : 1	
	Other Points	2 : 2	$\uparrow$ 1 : 4	n/a	0 : $\infty$	
	Features	5 : 7	2 : 9	3? : 23	2 : $\infty$	
	Protagonists	1 : 1	0 : 2	$\neg$ : 35	0 : $\infty$	
	Antagonists	0 : 1	0 : 4	0 : 35	1 : $\infty$	
	Other Characters	1 : 1	0 : 3	$\neg$ : 35	1 : $\infty$	
	Narrators	1 : 2	0 : 4	1 : 5	0 : $\infty$	
	Audiences	1 : 1	0 : 2	3 : 35	0 : $\infty$	
	Related Reader	n/a	n/a	3 : 35	2 : $\infty$	
	Related Story	n/a	n/a	n/a	1 : 11	